
ai ri gami . net
MODEL BY REQUEST

Swi ssai r

File created Jul 18, 2004
=====


Thank you for your order. Please find attached the following models:

1. 3G0406679 : Swi ssai r : Ai rbus A321 : Qual i fl yer c/s
3G0406677 : Swi ssai r : Ai rbus A320 : Qual i fl yer c/s
2. 3G0406681 : Swi ssai r : Ai rbus A330-200 : Qual i fl yer c/s
3. 3G0406686 : Swi ssai r : McDonnell Dougl as MD-11 : Qual i fl yer c/s

The Ai ri gami . net concept and desi gns are Copyri ght © 2002-2004 James Messner.


Ai rline brandnames and logos are used for educational , i nformative and recreational purposes only and remain the trade mark and copyri ght property of their owners. Any unauthorized use of Ai ri gami desi gns and i nfringement of copyri ght and trade marks may be subject to legal action by the copyri ght or trade mark owners in the United States of America or other jurisdictions where such i nfringements may take place. Such i nfringements may include – but are not limited to – the unauthorized reproduction of Ai ri gami desi gns or ai rline logos for profit or other gain. Ai ri gami desi gns are offered free of charge for download and constructi on of models. Any other use is strictly prohibited. Ai ri gami models and desi gns may not be sold for monetary or other profit under any circumstances unless permissi on is sought and received from the Ai ri gami Board.

For further i nformation, please contact us at [admin@ai ri gami . net](mailto:admin@airigami.net).
=====





Roll fuselage and attach such that the Fuselage Overlap sits on top of the Fuselage Underlap. Close ends of fuselage by attaching the Tabs along the contours of the nose and rear fuselage.

Insert wing fence tabs.




Bottom Wings. Fold Bottom sections under the top section. Make two almost parallel folds that meet at end of wing such that there is a solid leading edge to the wing. Insert wing section through slits in mid-fuselage.



Roll fuselage and attach such that the Fuselage Overlap sits on top of the Fuselage Underlap. Close ends of fuselage by attaching the Tabs along the contours of the nose and rear fuselage.

Insert wing fence tabs.



Bottom Wings. Fold Bottom sections under the top section. Make two almost parallel folds that meet at end of wing such that there is a solid leading edge to the wing. Insert wing section through slits in mid-fuselage.

